



\* RADIATOR DRY WEIGHT : ~ 3200 Kg.  
ELECTRIC MOTOR : 3 PHASE - 400V - 1470Rpm - 50 Hz - GME 180 L4 - 22 kW x 4

- |                                    |           |                                    |           |
|------------------------------------|-----------|------------------------------------|-----------|
| HT RADIATOR COOLANT CAPACITY       | : 323 LT. | LT RADIATOR COOLANT CAPACITY       | : 302 LT. |
| HT EXPANSION TANK COOLANT CAPACITY | : 27 LT.  | LT EXPANSION TANK COOLANT CAPACITY | : 52 LT.  |
| HT ENGINE BLOCK COOLANT CAPACITY   | : 116 LT. | LT ENGINE COOLANT CAPACITY         | : 79 LT.  |
| TOTAL SYSTEM COOLANT CAPACITY      | : 817 LT. | TOTAL SYSTEM COOLANT CAPACITY      | : 471 LT. |
- %60 PURE WATER ( WITHOUT LINE ) AND %40 ANTIFREEZE MUST BE USED IN THE SYSTEM.

Ⓢ THIS DRAWING IS THE COPYRIGHT OF PANOTO RADIATORS AND MUST NOT BE REPRODUCED OR PASSED ON TO A THIRD PARTY WITHOUT WRITTEN PERMISSION.

Ⓢ BU ÇİZİMİN TAM TEJİJE HAKKI PANOTO RADIATÖRE AİTTİR. YAZILI İZİN OLMASIZIN COĞALTI İLİMİZ VE DÜĞÜNÜ ŞAHSİ İLİMİZ VERİLMEZ.

| NO | PART | QTY | SPEC | DESCRIPTIONS | LETTER | DATE | DESCRIPTION | DRAWN BY | APPROVED BY |
|----|------|-----|------|--------------|--------|------|-------------|----------|-------------|
| 1  |      |     |      |              |        |      |             |          |             |
| 8  |      |     |      |              |        |      |             |          |             |

| FABRICATION TOLERANCES | ASSEMBLY TOLERANCES | ISSUE SCALE | ENGINE MODEL     | TITLE                 | DATE       | SIGNATURE | THIRD ANGLE PROJECTION |
|------------------------|---------------------|-------------|------------------|-----------------------|------------|-----------|------------------------|
| 1 - 200 ±1             | UP TO 500 ±2        | A           | CUMMINS QSK78 G9 | 55° C REMOTE RADIATOR | 26.01.2015 |           |                        |
| 201 - 900 ±1.5         | 901 TO 1000 ±3      |             | 1500 RPM         |                       | 26.01.2015 |           |                        |
| 501 - 1000 ±2          | 1001 TO 2000 ±5     |             |                  |                       | 26.01.2015 |           |                        |
| 1001 - 2000 ±3         | ABOVE 2000 ±8       |             |                  |                       | 26.01.2015 |           |                        |
| ABOVE 2000 ±3.5        | ANGULAR ±2°         |             |                  |                       | 26.01.2015 |           |                        |
|                        | DIMENSIONS IN MM    |             |                  |                       |            |           |                        |



|            |                        |
|------------|------------------------|
| PART NO    | 828 1120 CLM - CLM - F |
| DRAWING NO |                        |